


H20 Electric Scooter (10inch)







Integrated Moulding Frame

Die-casting Magnesium Alloy: light-weight & high strength



Patented design folding mechanism
meets new EN17128 standard;

3 Seconds Fast Folding



Big Capacity Battery

52 Battery cells, longer range

25-35

Max.speed(km/h)

45

Max.Range(km)

20

N.W (kg)

120


Load (kg)

Intelligent BMS

6 intelligent protections for battery



Over current
protection



Short circuit
protection



Temperature
anomalyprotection



Over-charge
protection



Over-discharge
protection




Under-voltage
auto sleep

K-mark Certificated Rear light

License Plate





Rear disc brake





Front suspension



Drum brake



LED Screen

High brightness, attractive interface.



K-mark Certificated Headlamp

Super bright at night



SPECIFICATION		
Frame	Material	Magnesium alloy
Front fork	Material	Steel
Battery	Capacity	36V 7.5Ah/10Ah or 48V 10.4Ah
Parameters	Max.speed	25-35 (Km/h)
	Max.range	7.5Ah: 25km. 10Ah:33km. 48v 10.4Ah:45km
	Max.climb angle	15-18°
	Tire	Front & rear 10 inch (Pneumatic Tire)
	Brake	Front drum brake and rear Disc brake
Config	Light	Front headlamp, rear light (k- mark)
	Dashboard	LED(Speed, power, range)
	Controller	FOC 36V/48V,21A
	License plate holder	on rear
Motor	Power	36V/48V, 350-500W motor for choosing
Suspension	Suspension	Front and rear suspension